

DR. MARCO ANTONIO ALCOCER-GAMBA

1. Alcocer-Gamba MA, Martínez-Sánchez C, Verdejo-Paris J, Ferrari R, Fox K, Greenlaw N, Steg Philippe G; por los investigadores CLARIFY. **Heart rate and use of β -blockers in Mexican stable outpatients with coronary artery disease.** Arch Cardiol Mex. 2015; 85(4):270-7. doi: 10.1016/j.acmx.2015.01.004.
2. Alcocer-Gamba MA, León-González S, Castro-Montes E, Loarca-Piña LM, Lugo-Gavidia LM, García-Hernández E. **[Atypical presentation of diffuse large B-cell non-Hodgkin lymphoma]**. Rev Med Inst Mex Seguro Soc. 2015; 53(2):232-8.
3. Kaifoszova Z, Kala P, Alexander T, Zhang Y, Huo Y, Snyders A, Delport R, Alcocer-Gamba MA, Gavidia LM. **Stent for Life Initiative: leading example in building STEMI systems of care in emerging countries.** EuroIntervention. 2014;1 0 Suppl T:T87-95. doi: 10.4244/EIJV10STA14.
4. Fox K, Ford I, Steg PG, Tardif JC, Tendera M, Ferrari R; SIGNIFY Investigators. **Ivabradine in stable coronary artery disease without clinical heart failure.** N Engl J Med. 2014; 371(12):1091-9. doi: 10.1056/NEJMoa1406430.
5. Alcocer Gamba MA, León González S, Castro Montes E, Loarca Piña LM, Lugo Gavidia LM, García Hernández E, González Galindo U, Paredes Serrano MI. **[No Hodgkin Linfoma diagnosis with intra-atrial infiltration]**. Invest Clin. 2012; 53(3):289-300.
6. Alcocer-Gamba MA, Martínez-Chávez JA, Alcántara-Razo M, Eid-Lidt G, Lugo-Gavidia LM, García-Hernández E, Montalvo-Ramos A, Torres-Quiroz IA, Velázquez-Verduzco A. **[Successful endovascular treatment of nutcracker's syndrome with self-expanding stent]**. Arch Cardiol Mex. 2012 Oct-Dec;82(4):303-7. doi: 10.1016/j.acmx.2012.09.006.
7. Diener HC, Eikelboom J, Connolly SJ, Joyner CD, Hart RG, Lip GY, O'Donnell M, Hohnloser SH, Hankey GJ, Shestakovska O, Yusuf S; AVERROES Steering Committee and Investigators. **Apixaban versus aspirin in patients with atrial fibrillation and previous stroke or transient ischaemic attack: a predefined subgroup analysis from AVERROES, a randomised trial.** Lancet Neurol. 2012;11(3):225-31. doi: 10.1016/S1474-4422(12)70017-0.
8. Connolly SJ, Camm AJ, Halperin JL, Joyner C, Alings M, Amerena J, Atar D, Avezum Á, Blomström P, Borggrefe M, Budaj A, Chen SA, Ching CK, Commerford P, Dans A, Davy JM, Delacrétaiz E, Di Pasquale G, Diaz R, Dorian P, Flaker G, Golitsyn S, Gonzalez-Hermosillo A, Granger CB, Heidbüchel H, Kautzner J, Kim JS, Lanás F, Lewis BS, Merino JL, Morillo C, Murin J, Narasimhan C, Paolasso E, Parkhomenko A, Peters NS, Sim KH, Stiles MK, Tanomsup S, Toivonen L, Tomcsányi J, Torp-Pedersen C, Tse HF, Vardas P,

Vinereanu D, Xavier D, Zhu J, Zhu JR, Baret-Cormel L, Weinling E, Staiger C, Yusuf S, Chrolavicius S, Afzal R, Hohnloser SH; PALLAS Investigators. **Dronedronone in high-risk permanent atrial fibrillation**. N Engl J Med. 2011; 365(24):2268-76. doi: 10.1056/NEJMoa1109867. Erratum in: N Engl J Med. 2012 16;366(7):672.

9. Connolly SJ, Eikelboom J, Joyner C, Diener HC, Hart R, Golitsyn S, Flaker G, Avezum A, Hohnloser SH, Diaz R, Talajic M, Zhu J, Pais P, Budaj A, Parkhomenko A, Jansky P, Commerford P, Tan RS, Sim KH, Lewis BS, Van Mieghem W, Lip GY, Kim JH, Lanas-Zanetti F, Gonzalez-Hermosillo A, Dans AL, Munawar M, O'Donnell M, Lawrence J, Lewis G, Afzal R, Yusuf S; AVERROES Steering Committee and Investigators. **Apixaban in patients with atrial fibrillation**. N Engl J Med. 2011 3;364(9):806-17. doi: 10.1056/NEJMoa1007432.
10. Gaxiola E, Eng-Ceceña L, Ortiz-Galván F, Llamas-López L, Rangel-Guerra R, Alcocer-Gamba MA, Bhatt DL, Gabriel Steg P; Reduction of Atherothrombosis for Continued Health Registry Investigators. **Assessment of atherothrombosis and its treatment in Mexico: first-year data of the REACH Registry**. Clin Cardiol. 2010 Jul;33(7):445-51. doi: 10.1002/clc.20800.
11. Echavarría-Pinto M, Hernández-Lomelí A, Alcocer-Gamba MA, Morales-Flores H, Vázquez-Mellado A. **[Metabolic syndrome in adults from 20 to 40 years old in a rural Mexican community]**. Rev Med Inst Mex Seguro Soc. 2006; 44(4):329-35.

DRA. MARÍA CARLOTA GARCÍA GUTIÉRREZ

1. García-G MC, Leo-Amador GE, Avila-Morales J, Zaldívar-Lelo de Larrea G, Sánchez-Corona J. **Vancomycin-resistant Enterococcus spp isolated from community acquired infections and colonizations in Querétaro City, Mexico.** Am J Infect Control. 2014; 42(5):578-80. doi: 10.1016/j.ajic.2014.01.008.
2. Méndez-Villa L, Elton-Puente JE, Solís-S JC, Sampson-Zaldívar E, García-G C, Villalobos P, Colarossi A, García OP, Robles-Osorio L, García-Solís P. **Iodine nutrition and thyroid function assessment in childbearing age women from Queretaro, Mexico.** Nutr Hosp. 2014; 29(1):204-11. doi: 10.3305/nh.2014.29.1.6996.
3. Orozco A, Valverde-R C, Olvera A, García-G C. **Iodothyronine deiodinases: a functional and evolutionary perspective.** J Endocrinol. 2012; 215(2):207-19. doi: 10.1530/JOE-12-0258.
4. Solís JC, Orozco A, García C, Robles-Osorio L, Valverde C. **[Bioactivity of thyroid hormones. Clinical significance of membrane transporters, deiodinases and nuclear receptors]**. Rev Invest Clin. 2011; 63(3):287-308.
5. López-Bojórquez L, Villalobos P, García-G C, Orozco A, Valverde-R C. **Functional identification of an osmotic response element (ORE) in the promoter region of the killifish deiodinase 2 gene (FhDio2).** J Exp Biol. 2007; 210(Pt 17):3126-32.
6. García-G C, López-Bojorquez L, Nuñez J, Valverde-R C, Orozco A. **3,5-Diiodothyronine in vivo maintains euthyroidal expression of type 2 iodothyronine deiodinase, growth hormone, and thyroid hormone receptor beta1 in the killifish.** Am J Physiol Regul Integr Comp Physiol. 2007; 293(2):R877-83.
7. García-G C, Jeziorski MC, Valverde-R C, Orozco A. **Effects of iodothyronines on the hepatic outer-ring deiodinating pathway in killifish.** Gen Comp Endocrinol. 2004; 135(2):201-9.

DR. PABLO GARCÍA SOLÍS

1. Méndez-Villa L, García-Solís P, Solís-S JC, García-Gutiérrez DG, Pérez-Mora VA, Robles-Osorio L, Sampson-Zaldívar E. **High Iodine and Salt Intakes and Obesity do not Modify the Thyroid Function in Mexican Schoolchildren.** Biol Trace Elem Res. 2015 Dec 22. [Epub ahead of print].
2. Gallardo Vidal LS, Rodríguez Méndez AJ, Burgos Ochoa M, Martínez Martínez ML, García Solís P, Villagrán Herrera ME, Pérez Baza AM. **Utility of a predictive model for chronic kidney disease in level 1 medical care.** Nefrologia. 2015. pii: S0211-6995(15)00216-7. doi: 10.1016/j.nefro.2015.10.010
3. Robles-Osorio ML, Zacarías-Rangel V, García-Solís P, Hernández-Montiel HL, Solís JC, Sabath E. **Prevalence of thyroid function test abnormalities and anti-thyroid antibodies in an open population in Central México.** Rev Invest Clin. 2014;66(2):113-20.
4. Méndez-Villa L, Elton-Puente JE, Solís-S JC, Sampson-Zaldívar E, García-G C, Villalobos P, Colarossi A, García OP, Robles-Osorio L, García-Solís P. **Iodine nutrition and thyroid function assessment in childbearing age women from, Queretaro, Mexico.** Nutr Hosp. 2014; 29(1):204-11. doi: 10.3305/nh.2014.29.1.6996.
5. Hernández-Montiel HL, Vásquez López CM, González-Loyola JG, Vega-Anaya GC, Villagrán-Herrera ME, Gallegos-Corona MA, Saldaña C, Ramos Gómez M, García Horshman P, García Solís P, Solís-S JC, Robles-Osorio ML, Ávila Morales J, Varela-Echavarría A, Paredes Guerrero R. **Chronic administration of thiamine pyrophosphate decreases age-related histological atrophic testicular changes and improves sexual behavior in male Wistar rats.** Histol Histopathol. 2014; 29(6):785-95.
6. García-Solís P, Solís-S JC, García-Gaytán AC, Reyes-Mendoza VA, Robles-Osorio L, Villarreal-Ríos E, Leal-García L, Hernández-Montiel HL. **Iodine nutrition in elementary state schools of Queretaro, Mexico: correlations between urinary iodine concentration with global nutrition status and social gap index.** Arq Bras Endocrinol Metabol. 2013; 57(6):473-82.
7. Carreto-Molina N, García-Solís P, Solís-S JC, Robles-Osorio L, Hernández-Montiel HL, Vega-Malagón G. **Importance of iodine in pregnancy.** Arch Latinoam Nutr. 2012; 62(3):213-9.
8. De Spiegeleer B, Van Dorpe S, Vergote V, Wynendaele E, Pauwels E, Van De Wiele C, García-Solis P, Solis-Sainz JC. **In vitro metabolic stability of iodinated obestatin peptides.** Peptides. 2012 Feb;33(2):272-8. doi: 10.1016/j.peptides.2011.12.010.

9. García-Solís P, Solís-S JC, García-Gaytán AC, Reyes-Mendoza VA, Robles-Osorio L, Hernández-Montiel HL, Leo-Amador GE. **Iodine nutrition status in pregnant women in Mexico**. *Thyroid*. 2011 Dec;21(12):1367-71. doi: 10.1089/thy.2011.0197.
10. Solís-S JC, Villalobos P, Orozco A, Delgado G, Quintanar-Stephano A, García-Solís P, Hernández-Montiel HL, Robles-Osorio L, Valverde-R C. **Inhibition of intrathyroidal dehalogenation by iodide**. *J Endocrinol*. 2011; 208(1):89-96. doi: 10.1677/JOE-10-0300.
11. Aceves C, García-Solís P, Arroyo-Helguera O, Vega-Riveroll L, Delgado G, Anguiano B. **Antineoplastic effect of iodine in mammary cancer: participation of 6-iodolactone (6-IL) and peroxisome proliferator-activated receptors (PPAR)**. *Mol Cancer*. 2009; 8:33. doi: 10.1186/1476-4598-8-33.
12. García-Solís P, Yahia EM, Morales-Tlalpan V, Díaz-Muñoz M. **Screening of antiproliferative effect of aqueous extracts of plant foods consumed in México on the breast cancer cell line MCF-7**. *Int J Food Sci Nutr*. 2009; 60 Suppl 6:32-46.
13. Saldaña C, Díaz-Muñoz M, Antaramián A, González-Gallardo A, García-Solís P, Morales-Tlalpan V. **MCF-7 breast carcinoma cells express ryanodine receptor type 1: functional characterization and subcellular localization**. *Mol Cell Biochem*. 2009; 323(1-2):39-47. doi: 10.1007/s11010-008-9962-7.
14. García-Solís P, Yahia EM, Aceves C. **Study of the effect of 'Ataulfo' mango (*Mangifera indica* L.) intake on mammary carcinogenesis and antioxidant capacity in plasma of N-methyl-N-nitrosourea (MNU)-treated rats**. *Food Chem*. 2008;111(2):309-15. doi: 10.1016/j.foodchem.2008.03.060.
15. Anguiano B, García-Solís P, Delgado G, Aceves Velasco C. **Uptake and gene expression with antitumoral doses of iodine in thyroid and mammary gland: evidence that chronic administration has no harmful effects**. *Thyroid*. 2007; 17(9):851-9.
16. García-Solís P, Aceves C. **[Study of nutritional factors related to breast cancer prevention. Importance of animal models approaches]**. *Arch Latinoam Nutr*. 2005; 55(3):211-25.
17. García-Solís P, Alfaro Y, Anguiano B, Delgado G, Guzman RC, Nandi S, Díaz-Muñoz M, Vázquez-Martínez O, Aceves C. **Inhibition of N-methyl-N-nitrosourea-induced mammary carcinogenesis by molecular iodine (I₂) but not by iodide (I⁻) treatment Evidence that I₂ prevents cancer promotion**. *Mol Cell Endocrinol*. 2005; 236(1-2):49-57.

18. García-Solís P, Aceves C. **5'Deiodinase in two breast cancer cell lines: effect of triiodothyronine, isoproterenol and retinoids.** Mol Cell Endocrinol. 2003; 201(1-2):25-31.
19. García-Solís P, Moncada-Alvarez MC, Martínez-Coria H, Luna M, Arámburo C, Salazar-Olivo LA. **Glycerol-3-Phosphate dehydrogenase (E.C.1.1.1.8) is expressed in cultured chicken embryonic adipofibroblasts and upregulated by embryonic chicken serum.** Poult Sci. 2002; 81(11):1709-13.

DR. RICARDO FRANCISCO MERCADO CUIEL

1. Mercado-Curiel RF, Ávila-Ramírez ML, Palmer GH, Brayton KA. **Identification of Rhipicephalus microplus genes that modulate the infection rate of the rickettsia Anaplasma marginale.** PLoS One. 2014 Mar 7; 9(3):e91062. doi: 10.1371/journal.pone.0091062.
2. de Lourdes Muñoz M, Mercado-Curiel RF, Diaz-Badillo A, Pérez Ramirez G, Black WC 4th. **Gene flow pattern among Aedes aegypti populations in Mexico.** J Am Mosq Control Assoc. 2013; 29(1):1-18.
3. Mercado-Curiel RF, Palmer GH, Guerrero FD, Brayton KA. **Temporal characterisation of the organ-specific Rhipicephalus microplus transcriptional response to Anaplasma marginale infection.** Int J Parasitol. 2011 Jul;41(8):851-60. doi: 10.1016/j.ijpara.2011.03.003.
4. Mercado-Curiel RF, Black WC 4th, Muñoz Mde L. **A dengue receptor as possible genetic marker of vector competence in Aedes aegypti.** BMC Microbiol. 2008; 8:118. doi: 10.1186/1471-2180-8-118.
5. Mercado-Curiel RF, Esquinca-Avilés HA, Tovar R, Díaz-Badillo A, Camacho-Nuez M, Muñoz Mde L. **The four serotypes of dengue recognize the same putative receptors in Aedes aegypti midgut and Ae. albopictus cells.** BMC Microbiol. 2006; 6:85.

DRA. ADRIANA JHENY RODRÍGUEZ MÉNDEZ

1. Gallardo Vidal LS, Rodríguez Méndez AJ, Burgos Ochoa M, Martínez Martínez ML, García Solís P, Villagrán Herrera ME, Pérez Baza AM. **Utility of a predictive model for chronic kidney disease in level 1 medical care.** Nefrologia. 2015. pii: S0211-6995(15)00216-7. doi: 10.1016/j.nefro.2015.10.010
2. Villagrán-Herrera ME, Sánchez-Moreno M, Rodríguez-Méndez AJ, Hernández-Montiel HL, Dávila-Esquivel Fde J, González-Pérez G, Martínez-Ibarra JA, Diego-Cabrera JA. **Comparative serology techniques for the diagnosis of Trypanosoma cruzi infection in a rural population from the state of Querétaro, Mexico.** Mem Inst Oswaldo Cruz. 2014; 109(7):967-72.
3. Luna M, Rodríguez-Méndez AJ, Luna-Acosta JL, Carranza M, Arámburo C. **Expression and function of chicken bursal growth hormone (GH).** Gen Comp Endocrinol. 2013; 190:182-7. doi: 10.1016/j.ygcen.2013.04.036.
4. García-Gasca T, García-Cruz M, Hernandez-Rivera E, López-Matínez J, Castañeda-Cuevas AL, Yllescas-Gasca L, Rodríguez-Méndez AJ, Mendiola-Olaya E, Castro-Guillén JL, Blanco-Labra A. **Effects of Tepary bean (Phaseolus acutifolius) protease inhibitor and semipure lectin fractions on cancer cells.** Nutr Cancer. 2012; 64(8):1269-78.
5. Ahumada-Solórzano SM, Carranza ME, Pedernera E, Rodríguez-Méndez AJ, Luna M, Arámburo C. **Local expression and distribution of growth hormone and growth hormone receptor in the chicken ovary: effects of GH on steroidogenesis in cultured follicular granulosa cells.** Gen Comp Endocrinol. 2012; 175(2):297-310. doi: 10.1016/j.ygcen.2011.11.027.
6. Alba-Betancourt C, Arámburo C, Avila-Mendoza J, Ahumada-Solórzano SM, Carranza M, Rodríguez-Méndez AJ, Harvey S, Luna M. **Expression, cellular distribution, and heterogeneity of growth hormone in the chicken cerebellum during development.** Gen Comp Endocrinol. 2011; 170(3):528-40. doi: 10.1016/j.ygcen.2010.11.009.
7. Rodríguez-Méndez AJ, Luna-Acosta JL, Carranza M, Harvey S, Arámburo C, Luna M. **Growth hormone expression in stromal and non-stromal cells in the bursa of Fabricius during bursal development and involution: Causal relationships?** Gen Comp Endocrinol. 2010 Jun 1;167(2):297-307. doi: 10.1016/j.ygcen.2010.03.019.
8. Luna M, Rodríguez-Méndez AJ, Berumen L, Carranza M, Riesgo-Escovar J, Baudet ML, Harvey S, Arámburo C. **Immune growth hormone (GH): localization of GH and GH mRNA in the bursa of Fabricius.** Dev Comp Immunol. 2008;32(11):1313-25. doi: 10.1016/j.dci.2008.04.008.

DR. JUAN CARLOS SOLÍS SÁINZ

1. Méndez-Villa L, García-Solís P, Solís-S JC, García-Gutiérrez DG, Pérez-Mora VA, Robles-Osorio L, Sampson-Zaldívar E. **High Iodine and Salt Intakes and Obesity do not Modify the Thyroid Function in Mexican Schoolchildren.** Biol Trace Elem Res. 2015. [Epub ahead of print].
2. Robles-Osorio ML, Zacarías-Rangel V, García-Solís P, Hernández-Montiel HL, Solís JC, Sabath E. **Prevalence of thyroid function test abnormalities and anti-thyroid antibodies in an open population in Central México.** Rev Invest Clin. 2014; 66(2):113-20.
3. Méndez-Villa L, Elton-Puente JE, Solís-S JC, Sampson-Zaldívar E, García-G C, Villalobos P, Colarossi A, García OP, Robles-Osorio L, García-Solís P. **Iodine nutrition and thyroid function assessment in childbearing age women from Queretaro, Mexico.** Nutr Hosp. 2014 Jan 1;29(1):204-11. doi: 10.3305/nh.2014.29.1.6996.
4. Hernández-Montiel HL, Vásquez López CM, González-Loyola JG, Vega-Anaya GC, Villagrán-Herrera ME, Gallegos-Corona MA, Saldaña C, Ramos Gómez M, García Horshman P, García Solís P, Solís-S JC, Robles-Osorio ML, Ávila Morales J, Varela-Echavarría A, Paredes Guerrero R. **Chronic administration of thiamine pyrophosphate decreases age-related histological atrophic testicular changes and improves sexual behavior in male Wistar rats.** Histol Histopathol. 2014; 29(6):785-95.
5. García-Solís P, Solís-S JC, García-Gaytán AC, Reyes-Mendoza VA, Robles-Osorio L, Villarreal-Ríos E, Leal-García L, Hernández-Montiel HL. **Iodine nutrition in elementary state schools of Queretaro, Mexico: correlations between urinary iodine concentration with global nutrition status and social gap index.** Arq Bras Endocrinol Metabol. 2013; 57(6):473-82.
6. Carreto-Molina N, García-Solís P, Solís-S JC, Robles-Osorio L, Hernández-Montiel HL, Vega-Malagón G. **Importance of iodine in pregnancy.** Arch Latinoam Nutr. 2012; 62(3):213-9.
7. De Spiegeleer B, Van Dorpe S, Vergote V, Wynendaele E, Pauwels E, Van De Wiele C, Garcia-Solis P, Solis-Sainz JC. **In vitro metabolic stability of iodinated obestatin peptides.** Peptides. 2012; 33(2):272-8. doi: 10.1016/j.peptides.2011.12.010.
8. García-Solís P, Solís-S JC, García-Gaytán AC, Reyes-Mendoza VA, Robles-Osorio L, Hernández-Montiel HL, Leo-Amador GE. **Iodine nutrition status in pregnant women in Mexico.** Thyroid. 2011; 21(12):1367-71. doi: 10.1089/thy.2011.0197.

9. Leo-Amador GE, Borbolla-Ramos A, Morales-Lara JA, Pérez-González HA, Hernandez-Montiel HL, Solis-S JC. **Infection or colonization and antimicrobial susceptibility of Enterococcus spp at a regional hospital in Queretaro, Mexico**. Am J Infect Control. 2011; 39(7):615-6. doi: 10.1016/j.ajic.2010.12.022.
10. Solis-S JC, Villalobos P, Orozco A, Delgado G, Quintanar-Stephano A, Garcia-Solis P, Hernandez-Montiel HL, Robles-Osorio L, Valverde-R C. **Inhibition of intrathyroidal dehalogenation by iodide**. J Endocrinol. 2011; 208(1):89-96. doi: 10.1677/JOE-10-0300.
11. Kopp P, Pesce L, Solis-S JC. **Pendred syndrome and iodide transport in the thyroid**. Trends Endocrinol Metab. 2008; 19(7):260-8. doi: 10.1016/j.tem.2008.07.001
12. Solis JC, Valverde C. **[Neonatal hypothyroidism. pathophysiogenic, molecular and clinical aspects]**. Rev Invest Clin. 2006; 58(4):318-34.
13. Solis-S JC, Villalobos P, Orozco A, Valverde-R C. **Comparative kinetic characterization of rat thyroid iodotyrosine dehalogenase and iodothyronine deiodinase type 1**. J Endocrinol. 2004; 181(3):385-92.
14. Valverde C, Orozco A, Becerra A, Jeziorski MC, Villalobos P, Solis JC. **Halometabolites and cellular dehalogenase systems: an evolutionary perspective**. Int Rev Cytol. 2004; 234:143-99.

DRA. MARÍA ELENA VILLAGRAN HERRERA

1. Martínez-Ibarra JA, Noguera-Torres B, Cárdenas-De la Cruz MÁ, Villagrán ME, de Diego-Cabrera JA, Bustos-Saldaña R. **Biological parameters of interbreeding subspecies of Meccus phyllosomus (Hemiptera: Reduviidae: Triatominae) in western Mexico.** Bull Entomol Res. 2015; 105(6):763-70. doi: 10.1017/S0007485315000759
2. Gallardo Vidal LS, Rodríguez Méndez AJ, Burgos Ochoa M, Martínez Martínez ML, García Solís P, Villagrán Herrera ME, Pérez Baza AM. **Utility of a predictive model for chronic kidney disease in level 1 medical care.** Nefrologia. 2015. pii: S0211-6995(15)00216-7. doi: 10.1016/j.nefro.2015.10.010.
3. Villagrán-Herrera ME, Sánchez-Moreno M, Rodríguez-Méndez AJ, Hernández-Montiel HL, Dávila-Esquivel F de J, González-Pérez G, Martínez-Ibarra JA, Diego-Cabrera JA. **Comparative serology techniques for the diagnosis of Trypanosoma cruzi infection in a rural population from the state of Querétaro, Mexico.** Mem Inst Oswaldo Cruz. 2014; 109(7):967-72.
4. Hernández-Montiel HL, Vásquez López CM, González-Loyola JG, Vega-Anaya GC, Villagrán-Herrera ME, Gallegos-Corona MA, Saldaña C, Ramos Gómez M, García Horshman P, García Solís P, Solís-S JC, Robles-Osorio ML, Ávila Morales J, Varela-Echavarría A, Paredes Guerrero R. **Chronic administration of thiamine pyrophosphate decreases age-related histological atrophic testicular changes and improves sexual behavior in male Wistar rats.** Histol Histopathol. 2014; 29(6):785-95.
5. Martínez-Ibarra JA, Noguera-Torres B, Vargas-Llamas V, García-Benavides G, Bustos-Saldaña R, Villagrán ME, de Diego-Cabrera JA, Tapia-González JM. **Biological characteristics of geographically isolated populations of Meccus mazzottii (Hemiptera: Reduviidae) in southern Mexico.** J Insect Sci. 2014;14. pii: 218. doi: 10.1093/jisesa/ieu080.
6. Martínez-Ibarra JA, Noguera-Torres B, Licón-Trillo Á, Villagrán-Herrera ME, de Diego-Cabrera JA, Montañez-Valdez OD, Rocha-Chávez G. **Comparative bionomics of four populations of Meccus longipennis (Hemiptera: Reduviidae: Triatominae) under laboratory conditions.** Mem Inst Oswaldo Cruz. 2013; 108(2):239-42.
7. Villagrán ME, Marín C, Hurtado A, Sánchez-Moreno M, de Diego JA. **Natural infection and distribution of triatomines (Hemiptera: Reduviidae) in the state of Querétaro, Mexico.** Trans R Soc Trop Med Hyg. 2008; 102(8):833-8. doi: 10.1016/j.trstmh.2008.05.005.
8. Villagrán ME, Sánchez-Moreno M, Marín C, Uribe M, de la Cruz JJ, de Diego JA. **Seroprevalence to Trypanosoma cruzi in rural communities of the state**

of Querétaro (Mexico): statistical evaluation of tests. Clin Biochem. 2009; 42(1-2):12-6. doi: 10.1016/j.clinbiochem. 2008.09.122.

9. Villagrán ME, Marín C, Rodríguez-Gonzalez I, De Diego JA, Sánchez-Moreno M. **Use of an iron superoxide dismutase excreted by Trypanosoma cruzi in the diagnosis of Chagas disease: seroprevalence in rural zones of the state of Querétaro, Mexico.** Am J Trop Med Hyg. 2005; 73(3):510-6.

DRA. NANCY GEORGINA HERNÁNDEZ CHAN

1. **Hernandez-Chan NG**, Bannon MJ, Orozco-Barrios CE, Escobedo L, Zamudio S, De la Cruz F, Gongora-Alfaro JL, Armendáriz-Borunda J, Reyes-Corona D, Espadas-Alvarez AJ, Flores-Martínez YM, Ayala-Davila J, Hernandez-Gutierrez ME, Pavón L, García-Villegas R, Nadella R, Martinez-Fong D. Neurotensin-polyplex-mediated brain-derived neurotrophic factor gene delivery into nigral dopamine neurons prevents nigrostriatal degeneration in a rat model of early Parkinson's disease. *J Biomed Sci.* 2015; 22:59. doi: 10.1186/s12929-015-0166-7.
2. Hernandez ME, Martinez-Mota L, Salinas C, Marquez-Velasco R, **Hernandez-Chan NG**, Morales-Montor J, Pérez-Tapia M, Streber ML, Granados-Camacho I, Becerril E, Javier BH, Pavón L. Chronic stress induces structural alterations in splenic lymphoid tissue that are associated with changes in corticosterone levels in wistar-kyoto rats. *Biomed Res Int.* 2013;2013:868742. doi: 10.1155/2013/868742.
3. Martinez-Fong D, Bannon MJ, Trudeau LE, Gonzalez-Barrios JA, Arango-Rodriguez ML, **Hernandez-Chan NG**, Reyes-Corona D, Armendáriz-Borunda J, Navarro-Quiroga I. NTS-Polyplex: a potential nanocarrier for neurotrophic therapy of Parkinson's disease. *Nanomedicine.* 2012 Oct;8(7):1052-69. doi: 10.1016/j.nano.2012.02.009.
4. **Hernández-Chan NG**, Góngora-Alfaro JL, Álvarez-Cervera FJ, Solís-Rodríguez FA, Heredia-López FJ, Arankowsky-Sandoval G. Quinolinic acid lesions of the pedunculopontine nucleus impair sleep architecture, but not locomotion, exploration, emotionality or working memory in the rat. *Behav Brain Res.* 2011; 225(2):482-90. doi: 10.1016/j.bbr.2011.08.007.
5. Martínez-Alfaro M, Cárabez-Trejo A, Gallegos-Corona MA, Pedraza-Aboytes G, **Hernández-Chan NG**, Leo-Amador GE. Thinner inhalation effects on oxidative stress and DNA repair in a rat model of abuse. *J Appl Toxicol.* 2010; 30(3):226-32. doi: 10.1002/jat.1488.

DR. HEBERT LUIS HERNÁNDEZ MONTIEL

1. Villagrán-Herrera ME, Sánchez-Moreno M, Rodríguez-Méndez AJ, Hernández-Montiel HL, Dávila-Esquivel F de J, González-Pérez G, Martínez-Ibarra JA, Diego-Cabrera JA. **Comparative serology techniques for the diagnosis of *Trypanosoma cruzi* infection in a rural population from the state of Querétaro, Mexico.** Mem Inst Oswaldo Cruz. 2014; 109(7):967-72.
2. Robles-Osorio ML, Zacarías-Rangel V, García-Solís P, Hernández-Montiel HL, Solís JC, Sabath E. **Prevalence of thyroid function test abnormalities and anti-thyroid antibodies in an open population in Central México.** Rev Invest Clin. 2014; 66(2):113-20.
3. Hernández-Montiel HL, Vásquez López CM, González-Loyola JG, Vega-Anaya GC, Villagrán-Herrera ME, Gallegos-Corona MA, Saldaña C, Ramos Gómez M, García Horshman P, García Solís P, Solís-S JC, Robles-Osorio ML, Ávila Morales J, Varela-Echavarría A, Paredes Guerrero R. **Chronic administration of thiamine pyrophosphate decreases age-related histological atrophic testicular changes and improves sexual behavior in male Wistar rats.** Histol Histopathol. 2014; 29(6):785-95.
4. García-Solís P, Solís-S JC, García-Gaytán AC, Reyes-Mendoza VA, Robles-Osorio L, Villarreal-Ríos E, Leal-García L, Hernández-Montiel HL. **Iodine nutrition in elementary state schools of Queretaro, Mexico: correlations between urinary iodine concentration with global nutrition status and social gap index.** Arq Bras Endocrinol Metabol. 2013; 57(6):473-82.
5. Hernández-Saavedra D, Mendoza-Sánchez M, Hernández-Montiel HL, Guzmán-Maldonado HS, Loarca-Piña GF, Salgado LM, Reynoso-Camacho R. **Cooked common beans (*Phaseolus vulgaris*) protect against β -cell damage in streptozotocin-induced diabetic rats.** Plant Foods Hum Nutr. 2013; 68(2):207-12. doi: 10.1007/s11130-013-0353-1.
6. Carreto-Molina N, García-Solís P, Solís-S JC, Robles-Osorio L, Hernández-Montiel HL, Vega-Malagón G. **Importance of iodine in pregnancy.** Arch Latinoam Nutr. 2012; 62(3):213-9.
7. López-Céspedes Á, Villagrán E, Briceño Álvarez K, de Diego JA, Hernández-Montiel HL, Saldaña C, Sánchez-Moreno M, Marín C. ***Trypanosoma cruzi*: seroprevalence detection in suburban population of Santiago de Querétaro (Mexico).** ScientificWorldJournal. 2012; 2012:914129. doi: 10.1100/2012/914129.
8. García-Solís P, Solís-S JC, García-Gaytán AC, Reyes-Mendoza VA, Robles-Osorio L, Hernández-Montiel HL, Leo-Amador GE. **Iodine nutrition status in**

pregnant women in Mexico. Thyroid. 2011; 21(12):1367-71. doi: 10.1089/thy.2011.0197.

9. Leo-Amador GE, Borbolla-Ramos A, Morales-Lara JA, Pérez-González HA, Hernandez-Montiel HL, Solis-S JC. **Infection or colonization and antimicrobial susceptibility of Enterococcus spp at a regional hospital in Queretaro, Mexico.** Am J Infect Control. 2011; 39(7):615-6. doi: 10.1016/j.ajic.2010.12.022.
10. Solis-S JC, Villalobos P, Orozco A, Delgado G, Quintanar-Stephano A, Garcia-Solis P, Hernandez-Montiel HL, Robles-Osorio L, Valverde-R C. **Inhibition of intrathyroidal dehalogenation by iodide.** J Endocrinol. 2011 Jan;208(1):89-96. doi: 10.1677/JOE-10-0300.
11. Vega-Anaya GC, Hernández-Lomelí A, Hernández-Montiel HL. **[Mechanism of immunological injury in type 1 diabetes].** Rev Med Inst Mex Seguro Soc. 2009; 47(5):515-22.
12. Arroyave Hernández CM, Echavarría Pinto M, Hernández Montiel HL. **Food allergy mediated by IgG antibodies associated with migraine in adults.** Rev Alerg Mex. 2007; 54(5):162-8.
13. García C, Aranda J, Arnold E, Thébault S, Macotela Y, López-Casillas F, Mendoza V, Quiroz-Mercado H, Hernández-Montiel HL, Lin SH, de la Escalera GM, Clapp C. **Vasoinhibins prevent retinal vasopermeability associated with diabetic retinopathy in rats via protein phosphatase 2A-dependent eNOS inactivation.** J Clin Invest. 2008; 118(6):2291-300. doi: 10.1172/JCI34508.
14. Hernández-Montiel HL, Tamariz E, Sandoval-Minero MT, Varela-Echavarría A. **Semaphorins 3A, 3C, and 3F in mesencephalic dopaminergic axon pathfinding.** J Comp Neurol. 2008; 506(3):387-97.
15. Hernández-Montiel HL, Meléndez-Herrera E, Cepeda-Nieto AC, Mejía-Viggiano C, Larriva-Sahd J, Guthrie S, Varela-Echavarría A. **Diffusible signals and fasciculated growth in reticulospinal axon pathfinding in the hindbrain.** Dev Biol. 2003; 255(1):99-112.

DRA. MONICA LÓPEZ HIDALGO

1. López-Hidalgo M, Schummers J. **Cortical maps: a role for astrocytes?** Curr Opin Neurobiol. 2014; 24(1):176-89. doi: 10.1016/j.conb.2013.11.001.
2. López-Hidalgo M, Salgado-Puga K, Alvarado-Martínez R, Medina AC, Prado-Alcalá RA, García-Colunga J. **Nicotine uses neuron-glia communication to enhance hippocampal synaptic transmission and long-term memory.** PLoS One. 2012; 7(11):e49998. doi: 10.1371/journal.pone.0049998.
3. Condés-Lara M, Rojas-Piloni G, Martínez-Lorenzana G, López-Hidalgo M, Rodríguez-Jiménez J. **Hypothalamospinal oxytocinergic antinociception is mediated by GABAergic and opiate neurons that reduce A-delta and C fiber primary afferent excitation of spinal cord cells.** Brain Res. 2009; 1247:38-49. doi: 10.1016/j.brainres.2008.10.030
4. Rojas-Piloni G, López-Hidalgo M, Martínez-Lorenzana G, Rodríguez-Jiménez J, Condés-Lara M. **GABA-mediated oxytocinergic inhibition in dorsal horn neurons by hypothalamic paraventricular nucleus stimulation.** Brain Res. 2007; 1137(1):69-77.
5. Miranda-Cardenas Y, Rojas-Piloni G, Martínez-Lorenzana G, Rodríguez-Jiménez J, López-Hidalgo M, Freund-Mercier MJ, Condés-Lara M. **Oxytocin and electrical stimulation of the paraventricular hypothalamic nucleus produce antinociceptive effects that are reversed by an oxytocin antagonist.** Pain. 2006; 122(1-2):182-9.
6. Condés-Lara M, Rojas-Piloni G, Martínez-Lorenzana G, Rodríguez-Jiménez J, López Hidalgo M, Freund-Mercier MJ. **Paraventricular hypothalamic influences on spinal nociceptive processing.** Brain Res. 2006; 1081(1):126-37.

DRA. MARÍA DEL CARMEN MEJÍA VÁZQUEZ

1. Espinal-Enríquez J, Hernández-Lemus E, Mejía C, Ruiz-Azuara L. **Network analysis shows novel molecular mechanisms of action for copper-based chemotherapy.** *Front Physiol.* 2016; 6:406. doi: 10.3389/fphys.2015.00406.
2. Valencia-Cruz AI, Uribe-Figueroa LI, Galindo-Murillo R, Baca-López K, Gutiérrez AG, Vázquez-Aguirre A, Ruiz-Azuara L, Hernández-Lemus E, Mejía C. **Whole genome gene expression analysis reveals casiopeína-induced apoptosis pathways.** *PLoS One.* 2013; 8(1):e54664. doi: 10.1371/journal.pone.0054664.
3. García-Ramos JC, Toledano-Magaña Y, Talavera-Contreras LG, Flores-Álamo M, Ramírez-Delgado V, Morales-León E, Ortiz-Frade L, Gutiérrez AG, Vázquez-Aguirre A, Mejía C, Carrero JC, Lacleste JP, Moreno-Esparza R, Ruiz-Azuara L. **Potential cytotoxic and amoebicide activity of first row transition metal compounds with 2,9-bis-(2',5'-diazahexanyl)-1,1-phenanthroline (L1).** *Dalton Trans.* 2012; 41(34):10164-74. doi: 10.1039/c2dt30224a.
4. López-Rodríguez A, Cárabez-Trejo A, Rosas-Sánchez F, Mejía C, Ruiz-Azuara L, Miledi R, Martínez-Torres A. **The metal-coordinated Casiopeína III_{Ea} induces the petite-like phenotype in *Saccharomyces cerevisiae*.** *Biometals.* 2011; 24(6):1189-96. doi: 10.1007/s10534-011-9477-7.
5. Mejía C, Ruiz-Azuara L. **Casiopeínas II_{gly} and III_{ia} induce apoptosis in medulloblastoma cells.** *Pathol Oncol Res.* 2008; 14(4):467-72. doi: 10.1007/s12253-008-9060-x.
6. Mejía C, García-Alcocer G, Berumen LC, Rosas-Arellano A, Miledi R, Martínez-Torres A. **Expression of GABA_{rho} subunits during rat cerebellum development.** *Neurosci Lett.* 2008; 432(1):1-6. doi: 10.1016/j.neulet.2007.11.062.
7. García-Alcocer G, Mejía C, Berumen LC, Miledi R, Martínez-Torres A. **Developmental expression of glycine receptor subunits in rat cerebellum.** *Int J Dev Neurosci.* 2008; 26(3-4):319-22. doi: 10.1016/j.ijdevneu.2008.01.005.
8. Mejía C, Navarro S, Llombart-Bosch A. **Apoptosis in peripheral neuroblastic tumors. Immunohistochemical expression of bcl-2 and p53 is related to DNA fragmentation.** *Histol Histopathol.* 2007; 22(12):1365-70.
9. Mejía C, Navarro S, Pellín A, Ruíz A, Castel V, Llombart-Bosch A. **Prognostic significance of cell proliferation in human neuroblastoma: comparison with other prognostic factors.** *Oncol Rep.* 2003; 10(1):243-7.
10. Rubio Briones J, Morell Quadreny L, López Guerrero JA, Casanova Ramón-Borja J, Mejía Vázquez C, Iborra Juan I, Pellín Pérez A, Solsona Narbón E,

Llombart Bosch A. **[Assessment of the basal membrane status as prognostic factor in renal carcinoma]**. Actas Urol Esp. 2002; 26(3):190-5.

11. del Carmen Mejía M, Navarro S, Pellín A, Ruíz A, Castel V, Llombart-Bosch A. **Study of proliferation and apoptosis in neuroblastoma. Their relation with other prognostic factors.** Arch Med Res. 2002; 33(5):466-72.
12. Navarro S, Noguera R, Pellín A, Mejía C, Ruíz A, Llombart-Bosch A. **Pleomorphic anaplastic neuroblastoma.** Med Pediatr Oncol. 2000; 35(5):498-502.
13. Mejía C, Navarro S, Colamonici OR, Pellín A, Castel V, Llombart-Bosch A. **Expression of type I interferon receptor and its relation with other prognostic factors in human neuroblastoma.** Oncol Rep. 1999; 6(1):149-53.
14. Mejía MC, Navarro S, Pellin A, Castel V, Llombart-Bosch A. **Study of bcl-2 protein expression and the apoptosis phenomenon in neuroblastoma.** Anticancer Res. 1998; 18(2A):801-6.

DR. ALEJANDRO LLORET SANDOVAL

1. Volta M, Cataldi S, Beccano-Kelly D, Munsie L, Tatarnikov I, Chou P, Bergeron S, Mitchell E, Lim R, Khinda J, Lloret A, Bennett CF, Paradiso C, Morari M, Farrer MJ, Milnerwood AJ. **Chronic and acute LRRK2 silencing has no long-term behavioral effects, whereas wild-type and mutant LRRK2 overexpression induce motor and cognitive deficits and altered regulation of dopamine release.** *Parkinsonism Relat Disord.* 2015 Oct;21(10):1156-63. doi: 10.1016/j.parkreldis.2015.07.025.
2. Pinto RM, Dragileva E, Kirby A, Lloret A, Lopez E, St Claire J, Panigrahi GB, Hou C, Holloway K, Gillis T, Guide JR, Cohen PE, Li GM, Pearson CE, Daly MJ, Wheeler VC. **Mismatch repair genes Mlh1 and Mlh3 modify CAG instability in Huntington's disease mice: genome-wide and candidate approaches.** *PLoS Genet.* 2013; 9(10):e1003930. doi: 10.1371/journal.pgen.1003930.
3. Seong IS, Woda JM, Song JJ, Lloret A, Abeyrathne PD, Woo CJ, Gregory G, Lee JM, Wheeler VC, Walz T, Kingston RE, Gusella JF, Conlon RA, MacDonald ME. **Huntingtin facilitates polycomb repressive complex 2.** *Hum Mol Genet.* 2010; 19(4):573-83. doi: 10.1093/hmg/ddp524.
4. Lloret A, Dragileva E, Teed A, Espinola J, Fossale E, Gillis T, Lopez E, Myers RH, MacDonald ME, Wheeler VC. **Genetic background modifies nuclear mutant huntingtin accumulation and HD CAG repeat instability in Huntington's disease knock-in mice.** *Hum Mol Genet.* 2006; 15(12):2015-24.
5. Lloret A, Saviñón-Tejeda A, Ongay-Larios L, Tenorio EP, Coria R. **The KIFUS1 gene is required for proper haploid mating and its expression is enhanced by the active form of the Galpha (Gpa1) subunit involved in the pheromone response pathway of the yeast *Kluyveromyces lactis*.** *FEMS Microbiol Lett.* 2003; 219(1):105-13.